

LED Panel Lights ECO II Version

• CRI>80; 85lm/w; UGR22; 9mm Thickness; SDCM<=4; 5 Years Guarantee

300x300mm



Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-20W-XV-AN-S2	20W	3000K-6000K CTA	1120-1460	>80	120°

300x600mm



Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-26W-XV-BN-S2	26W	3000K/4000K/6000K	2000-2200	>80	120°

600x600mm



Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-34W-XV-AN-S2	34W	3000K/4000K/6000K	2600-2900	>80	120°
SL-PAN-40W-XV-AN-S2	40W	3000K/4000K/6000K	3000-3400	>80	120°
SL-PAN-50W-XV-AN-S2	50W	3000K/4000K/6000K	3800-4200	>80	120°

620x620mm



Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-34W-XV-LS-S2	34W	3000K/4000K/6000K	2600-2900	>80	120°
SL-PAN-40W-XV-LS-S2	40W	3000K/4000K/6000K	3000-3400	>80	120°
SL-PAN-50W-XV-LS-S2	50W	3000K/4000K/6000K	3800-4200	>80	120°

300x1200mm



Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-45W-XV-AN-S2	45W	3000K/4000K/6000K	3400-3800	>80	120°

600x1200mm




Part Number	Power	Color	Lumens	CRI	Beam
SL-PAN-45W-XV-BN-S2	45W	3000K/4000K/6000K	3400-3800	>80	120°
SL-PAN-70W-XV-BN-S2	70W	3000K/4000K/6000K	4800-2500	>80	120°

XV:VVV 3000K /NVV 4000K /PVV 6000K

ECO - Excellent COST Effective

85 lm/W Efficiency	3 mm Light Guide	9 mm Thickness	5 Year Warranty	4 SDCM Color	80 lm/W LM	.95 PF Power	19 UGR Value
--------------------------	------------------------	----------------------	-----------------------	--------------------	------------------	--------------------	--------------------



- Best in its class, 85LM/W
- Excellent price to performance ratio
- SDCM < 4, superb color consistency
- Outstanding illuminating surface uniformity
- Patented UGR 19 design *optional
- Slim bezel design
- Attractive surface treatment
- Robust and rigid frame design, no bending or frame distortion
- TUV certified driver
- 5 Years Guarantee